

APPLICATION FOR PERMIT
TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

Date of filing in State Engineer's Office AUG 22 2005

Returned to applicant for correction _____

Corrected application filed _____

Map filed AUG 22 2005

The applicant **Richard & Sue Trufitt** hereby makes application for permission to appropriate the public waters of the State of Nevada, as hereinafter stated. N/A

1. The source of the proposed appropriation is **Underground Source**
2. The amount of water applied for is **0.0446 C.F.S.** second-feet
 - (a) If stored in reservoir give number of acre-feet **N/A**
3. The water to be used for **Quasi-Municipal Purposes**
4. If use is for:
 - (a) Irrigation, state number of acres to be irrigated **N/A**
 - (b) Stockwater, state number and kinds of animals to be watered **N/A**
 - (c) Other use (describe fully under No. 12. "Remarks") **Water to serve 2 residences**
 - (d) Power:
 - (1) Horsepower developed **N/A**
 - (2) Point of return of water to stream **N/A**
5. The water is to be diverted from its source at the following point **within the southwest quarter (SW¹/₄) of the southeast quarter (SE¹/₄) of Section 16, T24S, R56E, M.D.M. or at a point from which the south one quarter (S¹/₄) corner of said Section 16, T24S, R56E, M.D.M. bears South 77° 48' 27" West a distance of 1059.0 FT**
6. Place of Use **Lot 3 of land divisions LD 58-83 recorded in book 1776, document number 1735046, being a portion of the Southeast quarter (SE¹/₄) of the Southeast quarter (SE¹/₄) of the Southwest quarter (SW¹/₄) of the Southeast quarter (SE ¹/₄) of said Section 16, T24S, R56E, M.D.M.**
7. Use will begin about **January 1st** and end about **December 31st** of each year.
8. Description of proposed works **Well is existing, install totalizing meter**
9. Estimated cost of works **\$500.00**
10. Estimated time required to construct works **Well is 185' deep 6" steel casing 1 HP submersible pump & one pressure tank**
11. Estimated time required to complete the application of water to beneficial use **3 Years**

12. Remarks: Well is to serve two existing residences & landscaping estimated use to be 2.24 acre a year Please use up filey under app. #

By s/ Richard Truffitt
HCR-31 Box 865
Sandy Valley, NV 89019-8913

Compared mt/gkl lt/gkl

Protested _____

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit is issued subject to existing rights. It is understood that the amount of water herein granted is only a temporary allowance and that the final water right obtained under this permit will be dependent upon the amount of water actually placed to beneficial use. It is also understood that this right must allow for a reasonable lowering of the static water level. This well shall be equipped with a two (2) inch opening for measuring depth to water. If the well is flowing, a valve must be installed and maintained to prevent waste. A totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of water begins, or before the Proof of Completion of Work is filed. This source is located within an area designated by the State Engineer, pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

This permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

The issuance of this Quasi-Municipal permit is to serve two existing residences within the described place of use, being Clark County APN: 200-16-801-022. Any attempts to change the place of use of this permit will be denied. This water cannot be used for any further development.

(Continued on Page 3)

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed 0.005 cubic feet per second, or 2.24 acre-feet annually, and not to exceed an annual duty of 2.24 acre-feet per acre from any and/or all sources.

Work must be prosecuted with reasonable diligence and proof of completion of work shall be filed on or before:

October 26, 2007

Water must be placed to beneficial use and proof of the application of water to beneficial use shall be filed on or before:

October 26, 2008

Map in support of proof of beneficial use shall be filed on or before:


N/A

IN TESTIMONY WHEREOF, I, TRACY TAYLOR, P.E.,

State Engineer of Nevada, have hereunto set

my hand and the seal of my office,

this 26th day of October, A.D. 2006


State Engineer

Completion of work filed _____

Proof of beneficial use filed _____

Cultural map filed N/A

Certificate No. _____ Issued _____